

DNA CONCENTRATION IN UNPRESERVED URINE





FIG 1
(PRIOR ART)

EIGHT DAY SERIAL DATA ON UNPRESERVED URINE




FIG. 2
(PRIOR ART)

UNPRESERVED SERUM DATA




Fig. 3

PCR Detection of MOMP Chlamydia in unpreserved urine




FIG. 4

DNA CONCENTRATION IN PRESERVED URINE




FIG 5

EIGHT DAY SERIAL DATA ON PRESERVED URINE




FIG 6

PCR RESULTS IN UNPRESERVED VS.
PRESERVED normal Urine




FIG. 7

EIGHT DAY SERIAL DATA ON PRESERVED SERUM




Fig. 8

PRESERVED SERUM DATA (10 HOURS)




Fig. 9





Fig. 10






FIGURE 12





FIGURE 13

FIGURE 14

Condition	S/N
50ul plasma, ref	3.0
50ul form 1	2.7
1ml s/p ref	5.8
1ml s/p w/form 1	13.2
50ul serum ref	3.2
50ul form 1	2.2
1 ml s/p ref	9.1
1ml s/p w/form1	16.6






FIGURE 15




FIGURE 16




FIG. 17




FIG 18A




FIG 18B




FIG 18C




FIG 18D




FIG 18E




FIG 18F




FIG 8c